

Area Size

16,280 km²

Qualifying Species and Criteria

Dugong

Dugong dugon

Criterion A; B2

Marine Mammal Diversity

Sousa plumbea, Orcinus orca, Stenella longirostris, Stenella attenuata, Delphinus delphis, Feresa attenuata, Lagenodelphis hosei, Megaptera novaeangliae, Balaenoptera acutorostrata, Pseudorca crassidens, Tursiops aduncus

Summary

There has been a dramatic decline in dugongs in the Western Indian Ocean since the 1960s. Ten and 6 dugongs were counted off Kenya in the mid 1990s. Similar declines were noted for Tanzania, the Mascarene Islands and Mozambique. Bazaruto Archipelago Inhambane Bay are on the East coast of Central Mozambique from the Save River in the north to Tofino in the south. Both bays have extensive shallow waters, with large tidal ranges and extensive seagrass beds. Boat, aerial and questionnaire surveys conducted from 1991/97 suggested that the Bazaruto Archipelago supports the last viable Western Indian Ocean dugong population. Comprehensive aerial surveys of the Archipelago in 2007/2008 estimated a population of between 250 and 350 individuals. Recent aerial, acoustic and questionnaire surveys off East African 'hot spots' suggest that dugongs are all but extirpated from the East African region, other than in the Bazaruto Archipelago. The IMMA also supports endangered Indian Ocean humpback dolphins and other species of cetacean.

Bazaruto Archipelago & Inhambane Bay IMMA

Description

Archipelago and Inhambane Bay are on the East coast of Central Mozambique from the Save River in the north (20° 54′ 15.01″ S, 35° 03′ 45.91″ E) to Tofino (23.8569° S, 35.5480° E) in the south. Both bays have extensive shallow waters, with large tidal ranges and extensive seagrass beds. Inhambane Bay was known in the past to host substantial numbers of dugongs, though few, if any, remain. Some 250 to 300 dugongs remain in the Bazaruto Archipelago and population viability modelling suggests this population is viable, given zero mortality through anthropogenic causes. Numerous other cetacean species are resident, or visit the area.

The result of the past three decades of research in the Western Indian Ocean led to a comprehensive research project on the numbers and distribution of dugongs along the East African coast (Cockcroft et al., 2018). Dugong 'hotspots' in Kenya, Tanzania and Mozambique were identified through historical knowledge, fisher questionnaires and satellite telemetry. At 'hotspots' further guestionnaire and focal group surveys were undertaken, as well as aerial surveys, including unpublished aerial surveys between 2007 and 2018 (see Table 1). Overall the results for this research indicate that dugongs are all but extirpated from the East African region, other than in the Bazaruto Archipelago area (Findlay et al., 2011). Consequently, this is believed to be the last and only viable dugong population left off East Africa (Cockcroft, et al., 2018).

Criterion A – Species or Population Vulnerability

Dugong dugon (Muller, 1776) has been assessed as a Vulnerable species on the IUCN Red List since 1982. The results of all recent research in the Western Indian Oceaen indicate that the only viable population of dugongs that remain in the entire region are in the Bazaruto Archipelago area in Mozambique (Findlay et al., 2011).



Figure 1 - Artwork showing the dugong and its habitat in the Bazaruto Archipelago and Inhambane Bay IMMA. Credit: Murray Ralfe

Criterion B: Distribution and Abundance Sub-criterion B2: Small and Resident Populations

Both the Bazaruto and Inhambane bays have extensive seagrass beds, and Inhambane Bay was known in the past to host substantial numbers of dugongs, though few, if any, remain. The Bazaruto dugong population, estimated at between 250 and 350 individuals, is the only known fairly large dugong population within the Western Indian Ocean. Population viability modelling suggests this population is viable, given zero mortality through anthropogenic causes, particularly incidental catch and disturbance through oil and gas exploration (Cockcroft et al., 2010). A management plan and conservation strategy for dugongs in the Bazaruto Archipelago has been formulated and submitted to the relevant authority (Cockcroft et al., 2018). In addition, Cockcroft et al., (2018) have proposed that Mozambique's dugongs be regarded as an IUCN special management unit and classed as critically endangered. Consequently, this is believed to be the last and only viable dugong population left off East Africa (Cockcroft, et al., 2018).

Supporting Information

Cockcroft VG. 1995. Aerial survey in Kenya finds few dugongs. Sirenews 24 [newsletter of the IUCN/SSC Sirenian Specialist Group]. Cockcroft VG, Salm RV, Dutton TP. 1994. The status of dugongs in the western Indian Ocean. In: First International Manatee and Dugong Research Conference, 11–13 March 1994, Gainesville, Florida.

Cockcroft VC, Young DD. 1998. An investigation of the status of coastal marine resources along the west coast of Madagascar. Unpublished report, Worldwide Fund for Nature (WWF), Gland, Switzerland.

Cockcroft, V.G., Findlay, K.P. Guissamuo, A.T., Lindsay West, Mohamed, M. 2018. Dugongs (Dugong dugon) of the Western Indian Ocean Region: – Identity, Distribution, Status, Threats and Management. Western Indian Ocean Science Association Final Technical Report.143pp.

Findlay, K.P., Cockcroft, V.G., and AT Guissamulo. 2011. Dugong abundance and distribution in the Bazaruto Archipelago, Mozambique. African Journal of Marine Science 2011, 33(3): 441-452

Kizka, J and C. Muir. 2008. Status of the marginal dugong (f) population in the lagoon of Mayotte (Mozambiqur Channel) in the Western Indian Ocean. Western Indian Ocean Journal of Marine Science, 6(1), 111-116.

Komora, A. 1996. Life in the Wild: Last chance for Kenya's mermaids. Swara 19 (5): 13-13.Marsh H, Penrose H, Eros C, Hugues J. 2002. Dugong status reports and actions plans for countries and territories. Nairobi: UNEP.

Muir CE, Sallema A, Abdallah O, De Luca DW, Davenport TRB. 2003. The dugong (Dugong dugon) in Tanzania: a national assessment of status, distribution and threat. Wildlife Conservation Society.

Wamukoya, G.M., Mirangi, J.M. and W.K. Ottichilo. 1995. Marine Aerial Survey (Sea Turtles and Marine Mammals). KWS Technical Series Report No. 1.

https://www.dugongs.org/https://www.wiomsa.org/ong oing-project/dugongs-dugong-dugon-of-the-westernindian-ocean-region-identity-distribution-status-threatsand-management/

http://www.dugongconservation.org/project/developing -education-awareness-campaign-conserve-dugongs-bazaruto-archipelago-mozambique-mz3/

http://www.dugongconservation.org/project/distribution-dugongs-coastal-waters-mozambique-mz2/

Aknowledgements

The participants of the 2019 IMMA Regional Expert Workshop held in Salalah, Oman for the Identification of IMMAs in the Western Indian Ocean and Arabian Seas. Funding for the identification of this IMMA was provided to the Global Ocean Biodiversity Initiative by the International Climate Initiative (IKI). The German Federal Ministry for the Environment, Nature Conservation and Nuclear Safety (BMU) supports this initiative on the basis of a decision adopted by the German Bundestag. Support was also provided by Whale and Dolphin Conservation and the Tethys Research Institute.



Suggested Citation: IUCN-MMPATF (2020). Bazaruto Archipelago and Inhambane Bay IMMA Factsheet. IUCN Joint SSC/WCPA Marine Mammal Protected Areas Task Force, 2020.

PDF made available for download at: https://www.marinemammalhabitat.org/wp-content/uploads/imma-factsheets/WesternIndianOcean/Bazaruto-WesternIndianOcean.pdf